

IN THE CLAIMS

Please amend Claims 1-21 as follows:

1. (Currently Amended) For use in a wireless mobile station having predetermined capabilities, an apparatus for converting Web page Hypertext Markup Language (HTML) data into reformatted data that is suitable for rendering on a display of the wireless mobile station, the apparatus comprising:

memory that contains downloaded original Web page HTML data received from a content provider, an HTML filter, and an HTML translation script downloaded from the content provider; and

a controller, coupled to the memory, that is capable of executing the HTML filter such that the HTML filter generates the reformatted data from the Web page HTML data in response to the HTML translation script and the predetermined capabilities, the controller is further capable of rendering the reformatted data on the screen.

2. (Currently Amended) The apparatus as set forth in Claim 1 further comprising a radio frequency transceiver that transmits and receives radio frequency signals representative of the original Web page HTML data that is downloaded from a Web site maintained by the content provider.

3. (Original) The apparatus as set forth in Claim 1 wherein the predetermined capabilities include the wireless station's display size, display resolution, color capabilities, and audio capabilities.

4. (Currently Amended) The apparatus as set forth in Claim 1 further comprising a browser application in memory that is executed by the controller such that the browser application requests the original Web page HTML data to be downloaded from a Web site maintained by the content provider and the browser application further informs the HTML filter of a location of the Web site.

5. (Currently Amended) The apparatus as set forth in Claim 4 wherein the memory further includes a plurality of HTML translation scripts downloaded from a plurality of content providers and the controller is capable of selecting a first HTML translation script in response to the original Web page HTML data received from a first content provider.

6. (Original) The apparatus as set forth in Claim 4 wherein the controller is capable of downloading the HTML translation script from the Web site.

7. (Original) The apparatus as set forth in Claim 1 wherein the memory further comprises a database of the predetermined capabilities for use by the controller.

8. (Currently Amended) For use in a network server, an apparatus that reformats hypertext markup language (HTML) data for rendering on a mobile station having predetermined capabilities including a display, the apparatus comprising:

memory that contains a proxy application, Web page HTML data, an HTML filter, and an HTML translation script; and

a data processor, coupled to the memory, that is capable of
executing the HTML filter such that the HTML filter generates the reformatted HTML data from the Web page HTML data in response to the HTML translation script and the predetermined capabilities,

executing the proxy application such that the proxy application requests the Web page HTML data to be downloaded from a Web site prior to receiving a request from a mobile station for the Web page and the proxy application further informs the HTML filter of a location of the Web site, and

~~the data processor is further capable of~~ transmitting the reformatted HTML data to the mobile station for rendering on the display.

9. (Original) The apparatus as set forth in Claim 8 wherein the predetermined capabilities include the wireless station's display size, display resolution, color capabilities, and audio capabilities.

10. (Canceled)

11. (Original) The apparatus as set forth in Claim 8 wherein the memory further includes a plurality of HTML translation scripts and the data processor is capable of selecting a first HTML translation script in response to the Web page HTML data.

12. (Original) The apparatus as set forth in Claim 8 wherein the memory further comprises a database of the predetermined capabilities for use by the data processor.

13. (Original) The apparatus as set forth in Claim 12 wherein the data processor is capable of determining the predetermined capabilities of the mobile station in response to a mobile station identification transmitted to the apparatus.

14. (Original) The apparatus as set forth in Claim 8 wherein the data processor is coupled to the Internet.

15. (Currently Amended) For use in a wireless mobile station having predetermined capabilities and memory that stores a hypertext markup language (HTML) filter, a method of rendering Web page HTML data into a format suitable for a display of the wireless mobile station, the method comprising the steps of:

requesting an original Web page, comprising HTML data, from a content provider having a network address;

informing the HTML filter of the content provider's network address;

retrieving from the content provider an HTML translation script that is associated with the Web page;

generating in the HTML filter a reformatted Web page from the Web page HTML data in response to the HTML translation script and the predetermined capabilities; and

rendering the reformatted Web page on the display.

16. (Original) The method as set forth in Claim 15 wherein the step of retrieving the HTML translation script comprises downloading the HTML translation script from the content provider.

17. (Original) The method as set forth in Claim 15 wherein the step of retrieving the HTML translation script comprises downloading the HTML translation script from a translation script storage server.

18. (Original) The method as set forth in Claim 15 wherein the step of retrieving the HTML translation script comprises selecting the HTML translation script from the mobile station's memory.

19. (Original) The method as set forth in Claim 15 wherein the predetermined capabilities are stored in a database in the mobile station's memory.

20. (Currently Amended) For use in a network server having memory that stores a hypertext markup language (HTML) filter and an HTML translation script, a method of rendering Web page HTML data into a format suitable for a display of a wireless mobile station having predetermined capabilities, the method comprising the steps of:

requesting a Web page, comprising HTML data, from a content provider having a network address;

receiving a request from a wireless mobile station for the Web page;

informing the HTML filter of the content provider's network address;

retrieving an HTML translation script that is associated with the Web page;

generating in the HTML filter a reformatted Web page from the Web page HTML data in response to the HTML translation script and the predetermined capabilities; and

transmitting the reformatted Web page to the mobile station,

wherein the Web page is requested from the content provider prior to receiving the request for the Web page from the mobile wireless station.

21. (Original) The method as set forth in Claim 20 wherein the predetermined capabilities are associated with an identification of the mobile station in the network server memory.